ELSEVIER

Fluid Phase Equilibria 128 (1997) 277–278

FLUID PHASE EQUILIBRIA

Contents of Volume 128 (1997)

Vol. 128, Nos. 1–2

Equilibrium properties: Theoretical papers

Prediction of the thermodynamic properties and the phase behavior of binary mixtures in the extended critical region
S.B. Kiselev (Boulder, CO, USA) 1–28

Thermodynamic properties of binary mixtures of atoms and quadrupolar diatomic molecules from computer simulation
K. Shukla (Prairie View, TX, USA) 29–46

Total and excess properties of nonideal ternary fluid mixtures via isothermal-isobaric molecular dynamics simulation: size and energy parameter effects
K. Shukla (Prairie View, TX, USA) 47–65

Prediction of thermodynamic and transport properties in the one-phase region of methane + *n*-hexane mixtures near their critical end points
H. Cheng (Beijing, China), M.A. Anisimov and J.V. Sengers (College Park, MD, USA) 67–96

Prediction of infinite dilution solvent activity coefficients in polymer solutions: comparison of prediction models
B.-C. Lee and R.P. Danner (University Park, PA, USA) 97–114

Corresponding states relations of dimethylsiloxanes: comparison of short and long chain linear- and cyclic-dimethylsiloxanes
J.-M. Barbarín-Castillo (Monterrey, México) and I.A. McLure (Sheffield, UK) 115–130

EOS mixing rules and the quadratic concentration dependence of the second virial coefficient
S. Kemény, I. Farkas and A. Deák (Budapest, Hungary) 131–135

Fluid phase equilibria modified UNIFAC application to thermodynamic properties of binary mixtures containing sulfolane
W.C. Moollan, U.M. Domańska (Warsaw, Poland) and T.M. Letcher (Dalbridge, South Africa) 137–147

A hard-sphere volume-translated van der Waals equation of state for supercritical process modeling. 1. Pure components
M.C. Kutney, V.S. Dodd, K.A. Smith, H.J. Herzog and J.W. Tester (Cambridge, MA, USA) 149–171

Equilibrium properties: Experimental papers

Densities, excess volumes, speeds of sound and excess isentropic compressibilities for 2-butoxyethanol + *n*-hexane and + *n*-heptane mixtures at 303.15 K and 313.15 K
N.V. Sastry (Gujarat, India) 173–181

Phase behavior of a near-critical reservoir fluid mixture
T. Yang, W.-D. Chen and T.-M. Guo (Beijing, People's Republic of China) 183–197

Phase behavior and emulsion formation of novel fluoroether amphiphiles in carbon dioxide
E.J. Singley, W. Liu and E.J. Beckman (Pittsburgh, PA, USA) 199–219

Phase equilibria in mixtures of triglycerides with low-molecular weight alkanes
J.C. De la Fuente B., T. Fornari, E. Brignole and S. Bottini (Bahía Blanca, Argentina) 221–227

Effect of pressure on solid–liquid equilibrium for the system carbon dioxide/n-decane/n-octacosane
H.-G. Lee, P.A. Schenewerk, J. Wolcott and F.R. Groves Jr. (Baton Rouge, LA, USA) 229–240

Excess volumes and viscosities of binary mixtures of trichloroethylene with branched alcohols
D. Venkatesulu, P. Venkatesu and M.V. Prabhakara Rao (Andhra Pradesh, India) 241–248

Solubility measurements of methane and ethane in water at and near hydrate conditions
K.Y. Song, G. Feneyrou, F. Fleyfel, R. Martin, J. Lievois and R. Kobayashi (Houston, TX, USA) 249–260

Phase equilibria of water + methanol + hexyl acetate mixtures
A. Arce, A. Blanco, A. Soto and I. Vidal (Santiago de Compostela, Spain) 261–270

Letter to the editor
On the extension of the *p*-FV and *R*-UNIFAC models to multicomponent mixtures
E.C. Voutsas and D.P. Tassios (Athens, Greece) 271–272

Subject index 273

Author index 275

Contents of Volume 277